

X-16438.ST25.txt
SEQUENCE LISTING

<110> Eli Lilly and Company

<120> USES OF MELANOCORTIN-4 RECEPTOR (MC4R) AGONIST PEPTIDES
ADMINISTERED BY CONTINUOUS INFUSION

<130> X-16438

<150> US 60/557347
<151> 2004-03-29

<150> US 60/570676
<151> 2004-05-13

<160> 201

<170> PatentIn version 3.3

<210> 1
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 1

Cys His Phe Arg Trp Cys
1 5

<210> 2
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>

X-16438.ST25.txt

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = Cysteic acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 2

Xaa Arg Cys Ala His Phe Arg Trp Cys
1 5

<210> 3
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 3

Tyr Arg Cys Ala His Phe Arg Trp Cys
1 5

X-16438.ST25.txt

<210> 4
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 4

Tyr Arg Cys Arg His Phe Arg Trp Cys
1 5

<210> 5
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 5

X-16438.ST25.txt

Tyr Arg Cys Asn His Phe Arg Trp Cys
1 5

<210> 6
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 6

Cys Asp His Phe Arg Trp Cys
1 5

<210> 7
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 7

Tyr Arg Cys Asp His Phe Arg Trp Cys
1 5

<210> 8
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 8

Cys Gln His Phe Arg Trp Cys
1 5

<210> 9
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (6)..(6)
<223> D form

<400> 9

Tyr Arg Cys Gln His Phe Arg Trp Cys
1 5

<210> 10
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> Methoxy substituted for OH

<400> 10

Tyr Arg Cys Gln His Phe Arg Trp Cys
1 5

<210> 11
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 11

Tyr Arg Cys Gly His Phe Arg Trp Cys
1 5

<210> 12
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 12

Tyr Arg Cys Gly His Phe Arg Trp Cys
1 5

<210> 13
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 13

Tyr Arg Cys His His Phe Arg Trp Cys
1 5

<210> 14
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 14

Tyr Arg Cys Ile His Phe Arg Trp Cys
1 5

<210> 15
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

X-16438.ST25.txt

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 15

Cys Leu His Phe Arg Trp Cys
1 5

<210> 16
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 16

Cys Lys His Phe Arg Trp Cys
1 5

<210> 17
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> METHYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 17

Tyr Arg Cys Met His Phe Arg Trp Cys
1 5

<210> 18
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 18

Tyr Arg Cys Met His Phe Arg Trp Cys
1 5

<210> 19
<211> 9
<212> PRT
<213> Artificial

X-16438.ST25.txt

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 19

Tyr Arg Cys Phe His Phe Arg Trp Cys
1 5

<210> 20
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 20

Tyr Arg Cys Pro His Phe Arg Trp Cys
1 5

X-16438.ST25.txt

<210> 21
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 21

Tyr Arg Cys Ser His Phe Arg Trp Cys
1 5

<210> 22
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

X-16438.ST25.txt

<400> 22

Tyr Arg Cys Thr His Phe Arg Trp Cys
1 5

<210> 23

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> AMIDATION

<400> 23

Tyr Arg Cys Trp His Phe Arg Trp Cys
1 5

<210> 24

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 24

Tyr Arg Cys Tyr His Phe Arg Trp Cys
1 5

<210> 25
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 25

Tyr Arg Cys Val His Phe Arg Trp Cys
1 5

<210> 26
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(8)

X-16438.ST25.txt

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = cysteic acid

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (5)..(5)
<223> AMIDATION

<400> 26

Arg Cys Xaa His Phe Arg Trp Cys
1 5

<210> 27
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (1)..(1)
<223> D form

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = cysteic acid

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 27

Arg Cys Xaa His Phe Arg Trp Cys
1 5

X-16438.ST25.txt

<210> 28
 <211> 9
 <212> PRT
 <213> Artificial

 <220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa = cysteic acid

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 28

Tyr Arg Cys Xaa His Phe Arg Trp Cys
 1 5

<210> 29
 <211> 7
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> DISULFID
 <222> (1)..(7)

<220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> D form

<220>
 <221> MOD_RES
 <222> (7)..(7)
 <223> AMIDATION

X-16438.ST25.txt

<400> 29

Cys Glu His Phe Arg Trp Cys
1 5

<210> 30

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(7)

<220>

<221> MOD_RES

<222> (4)..(4)

<223> D form

<220>

<221> MOD_RES

<222> (7)..(7)

<223> AMIDATION

<400> 30

Cys Glu His Phe Arg Trp Cys
1 5

<210> 31

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(7)

<220>

<221> MOD_RES

<222> (4)..(4)

<223> 4-fluoro substituted, D form

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 31

Cys Glu His Phe Arg Trp Cys
1 5

<210> 32
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 32

Cys Glu His Phe Arg Trp Cys
1 5

<210> 33
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-bromo substituted, D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 33

Cys Glu His Phe Arg Trp Cys
1 5

<210> 34
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 34

Cys Glu His Phe Arg Trp Cys
1 5

<210> 35
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 35

Cys Glu His Phe Arg Trp Cys Lys Pro
1 5

<210> 36
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 36

Cys Glu His Phe Arg Trp Cys Ser Pro
1 5

<210> 37
<211> 7

X-16438.ST25.txt

<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-propionyl substituted

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 37

Cys Glu His Phe Arg Trp Cys
1 5

<210> 38
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-butyryl substituted

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 38

Cys Glu His Phe Arg Trp Cys

X-16438.ST25.txt

1

5

<210> 39
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-valeryl substituted

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 39

Cys Glu His Phe Arg Trp Cys
1 5

<210> 40
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> 3-guanidinopropionyl substituted

<220>
<221> DISULFID
<222> (1)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)

X-16438.ST25.txt

<223> AMIDATION

<400> 40

Cys Glu His Phe Arg Trp Cys
1 5

<210> 41

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> 4-guanidinobutyryl substituted

<220>

<221> DISULFID

<222> (1)..(7)

<220>

<221> MOD_RES

<222> (4)..(4)

<223> D form

<220>

<221> MOD_RES

<222> (7)..(7)

<223> AMIDATION

<400> 41

Cys Glu His Phe Arg Trp Cys
1 5

<210> 42

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> 5-guanidinovaleryl substituted

<220>

<221> DISULFID

<222> (1)..(7)

<220>

<221> MOD_RES

<222> (4)..(4)

X-16438.ST25.txt

<223> D form

<220>

<221> MOD_RES

<222> (7)..(7)

<223> AMIDATION

<400> 42

Cys Glu His Phe Arg Trp Cys
1 5

<210> 43

<211> 7

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> acetyl-diaminopropionyl substituted

<220>

<221> DISULFID

<222> (1)..(7)

<220>

<221> MOD_RES

<222> (4)..(4)

<223> D form

<220>

<221> MOD_RES

<222> (7)..(7)

<223> AMIDATION

<400> 43

Cys Glu His Phe Arg Trp Cys
1 5

<210> 44

<211> 7

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> acetyl-diaminobutyryl substituted

<220>

<221> DISULFID

X-16438.ST25.txt

<222> (1)..(7)

<220>

<221> MOD_RES

<222> (4)..(4)

<223> D form

<220>

<221> MOD_RES

<222> (7)..(7)

<223> AMIDATION

<400> 44

Cys Glu His Phe Arg Trp Cys
1 5

<210> 45

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

<400> 45

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 46

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> D form

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

X-16438.ST25.txt

<223> D form

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<400> 46

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 47

<211> 8

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> MOD_RES

<222> (1)..(1)

<223> D form

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<400> 47

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 48

<211> 8

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

X-16438.ST25.txt

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<400> 48

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 49

<211> 8

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

<400> 49

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 50

<211> 8

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

X-16438.ST25.txt

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> 4-chloro substituted, D form

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<400> 50

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 51

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (4)..(4)

<223> 1-methyl substituted

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<400> 51

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 52

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (1)..(1)
<223> D form

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 52

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 53
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (1)..(1)
<223> D form

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<400> 53

X-16438.ST25.txt
Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 54
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homoarginine

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 54

Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 55
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = citrulline

<220>

X-16438.ST25.txt

<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 55

Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 56
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = citrulline

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 56

Xaa Cys Glu His Phe Arg Trp Cys
1 5

X-16438.ST25.txt

<210> 57
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 57

Leu Cys Glu His Phe Arg Trp Cys
1 5

<210> 58
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 58

X-16438.ST25.txt

Lys Cys Glu His Phe Arg Trp Cys
1 5

<210> 59
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = N(epsilon)-isopropyl lysine

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 59

Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 60
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = norleucine

X-16438.ST25.txt

<220>
 <221> DISULFID
 <222> (2)..(8)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> D form

<220>
 <221> MOD_RES
 <222> (8)..(8)
 <223> AMIDATION

<400> 60

Xaa Cys Glu His Phe Arg Trp Cys
 1 5

<210> 61
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = norleucine

<220>
 <221> DISULFID
 <222> (2)..(8)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> D form

<220>
 <221> MOD_RES
 <222> (10)..(10)
 <223> AMIDATION

<400> 61

Xaa Cys Glu His Phe Arg Trp Cys Ser Pro
 1 5 10

<210> 62
 <211> 8
 <212> PRT
 <213> Artificial

X-16438.ST25.txt

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = Ornithine

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 62

Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 63
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

X-16438.ST25.txt

<400> 63

Val Cys Glu His Phe Arg Trp Cys
1 5

<210> 64

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-(2-naphthalenesulfonyl) substituted, D form

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<400> 64

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 65

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-(2-naphthalenesulfonylamino-4-oxo-butyryl) substituted, D form

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 65

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 66
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> 3-(4-hydroxyphenyl)propionyl substituted

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 66

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 67
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> 3-(4-methylbenzoyl)propionyl substituted

<220>
<221> DISULFID
<222> (2)..(8)

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 67

Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 68
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 68

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 69
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

X-16438.ST25.txt

<400> 69

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 70

<211> 9

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> NH-(CH₂)₆-NH₂ substituted

<400> 70

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 71

<211> 10

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (10)..(10)

<223> AMIDATION

<400> 71

Tyr Arg Cys Glu His Phe Arg Trp Cys Glu
1 5 10

X-16438.ST25.txt

<210> 72
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 72

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 73
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<400> 73

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

X-16438.ST25.txt

<210> 74
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-succinyl substituted

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 74

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 75
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-glutaryl substituted

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

X-16438.ST25.txt

<400> 75

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 76

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-glutaryl substituted

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<400> 76

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 77

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> gluconoyl substituted

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> AMIDATION

X-16438.ST25.txt

<400> 77

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 78

<211> 9

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> Reduced from amino acid to amino alcohol

<400> 78

Tyr Arg Cys Glu His Phe Arg Trp Xaa
1 5

<210> 79

<211> 9

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> MOD_RES

<222> (2)..(2)

<223> D form

<220>

<221> DISULFID

<222> (3)..(9)

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 79

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 80
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 80

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 81
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 81

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 82
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

X-16438.ST25.txt

<400> 82

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 83

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> 4-fluoro substituted, D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> AMIDATION

<400> 83

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 84

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> 1-methyl substituted

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 84

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 85
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 85

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 86
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 86

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 87
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(8)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 87

Arg Cys Glu His Phe Arg Trp Cys

X-16438.ST25.txt

1

5

<210> 88
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 88

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 89
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)

X-16438.ST25.txt
<223> 4-bromo substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 89

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 90
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-bromo substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 90

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 91
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES

X-16438.ST25.txt

<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-bromo substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 91

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 92
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-methyl substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 92

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 93

X-16438.ST25.txt

<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-methoxy substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 93

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 94
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-methoxy substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 94

X-16438.ST25.txt

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 95
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> 4-methoxy substituted, D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 95

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 96
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>

X-16438.ST25.txt

<221> MOD_RES
 <222> (5)..(5)
 <223> 3-methyl substituted

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 96

Tyr Arg Cys Glu His Phe Arg Trp Cys
 1 5

<210> 97
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> 5-methyl substituted

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 97

Tyr Arg Cys Glu His Phe Arg Trp Cys
 1 5

<210> 98
 <211> 9
 <212> PRT
 <213> Artificial

X-16438.ST25.txt

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 5-methyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 98

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 99
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-benzyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 99

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 100
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-benzyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 100

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 101
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

X-16438.ST25.txt

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-benzylloxymethyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 101

Tyr Arg Cys Glu His Phe Arg Trp Cys
1 5

<210> 102
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-pyrazolyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 102

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

X-16438.ST25.txt

<210> 103
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> 4-phenyl-1H-imidazol-2-yl substituted

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 103

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
 1 5

<210> 104
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> 4-phenyl-1H-imidazol-2-yl substituted, D form

X-16438.ST25.txt

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 104

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
 1 5

<210> 105
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> 2-pyrazine substituted

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 105

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
 1 5

<210> 106
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> beta-(1,2,4-triazol-3-yl) substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 106

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 107
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> beta-(1,2,4-triazol-3-yl) substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)

X-16438.ST25.txt

<223> AMIDATION

<400> 107

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 108

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> beta-((1-benzyl)-1,2,4-triazol-3-yl) substituted

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> AMIDATION

<400> 108

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 109

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

X-16438.ST25.txt

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> beta-((1-benzyl)-1,2,4-triazol-3-yl) substituted, D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> AMIDATION

<400> 109

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 110

<211> 9

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (5)..(5)

<223> beta-(2-furyl) substituted

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> AMIDATION

<400> 110

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 111

X-16438.ST25.txt

<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> beta-(thien-2-yl) substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 111

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 112
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> beta-(1,3-thiazol-4-yl) substituted

<220>
<221> MOD_RES

X-16438.ST25.txt

<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 112

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 113
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> beta-(pyridin-4-yl) substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 113

Tyr Arg Cys Glu Ala Phe Arg Trp Cys
1 5

<210> 114
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>

X-16438.ST25.txt

<221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> glycinol substituted

<400> 114

Tyr Arg Cys Glu His Phe Arg Trp Cys
 1 5

<210> 115
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> 2-(2-aminoethoxy)ethanol substituted

<400> 115

Tyr Arg Cys Glu His Phe Arg Trp Cys
 1 5

<210> 116
 <211> 10
 <212> PRT
 <213> Artificial

X-16438.ST25.txt

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (10)..(10)

<223> reduced from amino acid to amino alcohol

<400> 116

Tyr	Arg	Cys	Glu	His	Phe	Arg	Trp	Cys	Xaa
1				5					10

<210> 117

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (3)..(9)

<220>

<221> MOD_RES

<222> (6)..(6)

<223> D form

<220>

<221> MOD_RES

<222> (9)..(9)

<223> NH-(CH₂)₆-NH₂ substituted

<400> 117

Tyr	Arg	Cys	Glu	His	Phe	Arg	Trp	Cys
1				5				

X-16438.ST25.txt

<210> 118
 <211> 10
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (10)..(10)
 <223> AMIDATION

<400> 118

Tyr Arg Cys Glu His Phe Arg Trp Cys Glu
 1 5 10

<210> 119
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (11)..(11)
 <223> AMIDATION

<400> 119

X-16438.ST25.txt

Tyr Arg Cys Glu His Phe Arg Trp Cys Ser Pro
 1 5 10

<210> 120
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (11)..(11)
 <223> reduced from amino acid to amino alcohol

<400> 120

Tyr Arg Cys Glu His Phe Arg Trp Cys Ser Xaa
 1 5 10

<210> 121
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>

X-16438.ST25.txt

<221> MOD_RES
 <222> (11)..(11)
 <223> AMIDATION

<400> 121

Tyr Arg Cys Glu His Phe Arg Trp Cys Lys Pro
 1 5 10

<210> 122
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (11)..(11)
 <223> reduced from amino acid to amino alcohol

<400> 122

Tyr Arg Cys Glu His Phe Arg Trp Cys Lys Xaa
 1 5 10

<210> 123
 <211> 11
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>

X-16438.ST25.txt

<221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (11)..(11)
 <223> AMIDATION

<400> 123

Tyr Arg Cys Glu His Phe Arg Trp Cys Arg Phe
 1 5 10

<210> 124
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa = citrulline

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 124

Tyr Xaa Cys Glu His Phe Arg Trp Cys
 1 5

<210> 125
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = citrulline

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (5)..(5)
<223> 1-methyl substituted

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 125

Tyr Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 126
<211> 9
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homoarginine

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 126

Tyr Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 127
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = 1-beta-homoarginine

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<400> 127

Tyr Xaa Cys Glu His Phe Arg Trp Cys
1 5

<210> 128
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

X-16438.ST25.txt

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 128

Tyr Lys Cys Glu His Phe Arg Trp Cys
 1 5

<210> 129
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 129

Tyr Ser Cys Glu His Phe Arg Trp Cys
 1 5

<210> 130
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

X-16438.ST25.txt

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> ACETYLATION

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<220>
 <221> MOD_RES
 <222> (9)..(9)
 <223> AMIDATION

<400> 130

Tyr Val Cys Glu His Phe Arg Trp Cys
 1 5

<210> 131
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-succinyl substituted

<220>
 <221> DISULFID
 <222> (3)..(9)

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> D form

<400> 131

Tyr Arg Cys Glu His Phe Arg Trp Cys
 1 5

<210> 132
 <211> 6
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

X-16438.ST25.txt

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 132

Xaa His Phe Arg Trp Cys
1 5

<210> 133
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<400> 133

Xaa His Phe Arg Trp Cys
1 5

<210> 134
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

X-16438.ST25.txt

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 134

Xaa His Phe Arg Trp Cys
1 5

<210> 135
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 135

Xaa His Phe Arg Trp Cys
1 5

<210> 136
<211> 6
<212> PRT

X-16438.ST25.txt

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

<400> 136

Xaa His Phe Arg Trp Cys

1

5

<210> 137

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

X-16438.ST25.txt

<400> 137

Xaa His Phe Arg Trp Cys
1 5

<210> 138

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<400> 138

Xaa His Phe Arg Trp Cys
1 5

<210> 139

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 139

Xaa His Phe Arg Trp Cys
1 5

<210> 140
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 140

Xaa His Phe Arg Trp Cys
1 5

<210> 141
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-cyclopropanecarbonyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 141

Xaa His Phe Arg Trp Cys
1 5

<210> 142
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-cyclobutanecarbonyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)

X-16438.ST25.txt

<223> AMIDATION

<400> 142

Xaa His Phe Arg Trp Cys
1 5

<210> 143

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-cyclopentanecarbonyl substituted

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

<400> 143

Xaa His Phe Arg Trp Cys
1 5

<210> 144

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-cyclohexanecarbonyl substituted

<220>

<221> DISULFID

X-16438.ST25.txt

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

<400> 144

Xaa His Phe Arg Trp Cys
1 5

<210> 145

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> N-hexanoyl substituted

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

<400> 145

Xaa His Phe Arg Trp Cys
1 5

<210> 146

X-16438.ST25.txt

<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-benzoyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 146

Xaa His Phe Arg Trp Cys
1 5

<210> 147
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> 4-phenylbutyrylsubstituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES

X-16438.ST25.txt

<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 147

Xaa His Phe Arg Trp Cys
1 5

<210> 148
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> 3-guanidinopropionyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 148

Xaa His Phe Arg Trp Cys
1 5

<210> 149
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (1)..(1)
<223> 5-guanidinovaleryl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 149

Xaa His Phe Arg Trp Cys
1 5

<210> 150
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-phenylsulfonyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 150

X-16438.ST25.txt

Xaa His Phe Arg Trp Cys
1 5

<210> 151
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-(2-naphthalenesulfonyl) substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 151

Xaa His Phe Arg Trp Cys
1 5

<210> 152
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-(4-phenylsulfonamido-4-oxo-butyl) substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>

X-16438.ST25.txt

<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 152

Xaa His Phe Arg Trp Cys
1 5

<210> 153
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 153

Arg Xaa His Phe Arg Trp Cys
1 5

<210> 154
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> D form

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 154

Arg Xaa His Phe Arg Trp Cys
1 5

<210> 155
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<400> 155

Arg Xaa His Phe Arg Trp Cys
1 5

<210> 156
<211> 7
<212> PRT
<213> Artificial

X-16438.ST25.txt

<220>
 <223> synthetic construct

<220>
 <221> DISULFID
 <222> (2)..(7)

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa = homocysteine

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> 1-methyl substituted

<220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> D form

<220>
 <221> MOD_RES
 <222> (7)..(7)
 <223> AMIDATION

<400> 156

Arg Xaa His Phe Arg Trp Cys .
 1 5

<210> 157
 <211> 7
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> DISULFID
 <222> (2)..(7)

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa = homocysteine

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> 1-methyl substituted, D form

<220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> D form

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 157

Arg Xaa His Phe Arg Trp Cys
1 5

<210> 158
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 158

Arg Xaa His Phe Arg Trp Cys
1 5

<210> 159
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

X-16438.ST25.txt

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<400> 159
Arg Xaa His Phe Arg Trp Cys
1 5

<210> 160
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = norleucine

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

X-16438.ST25.txt

<400> 160

Xaa Xaa His Phe Arg Trp Cys
1 5

<210> 161

<211> 7

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> phenylsulfonyl substituted

<220>

<221> DISULFID

<222> (2)..(7)

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (4)..(4)

<223> D form

<220>

<221> MOD_RES

<222> (7)..(7)

<223> AMIDATION

<400> 161

Gly Xaa His Phe Arg Trp Cys
1 5

<210> 162

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> DISULFID

<222> (3)..(8)

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa = homocysteine

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 162

Tyr Arg Xaa His Phe Arg Trp Cys
1 5

<210> 163
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (3)..(8)

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<400> 163

Tyr Arg Xaa His Phe Arg Trp Cys
1 5

<210> 164
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(8)

X-16438.ST25.txt

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 164

Tyr Arg Xaa His Phe Arg Trp Cys
1 5

<210> 165
<211> 8
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(8)

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<400> 165

Tyr Arg Xaa His Phe Arg Trp Cys
1 5

<210> 166
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

X-16438.ST25.txt

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (3)..(8)

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (5)..(5)
<223> D form

<220>
<221> MOD_RES
<222> (8)..(8)
<223> AMIDATION

<400> 166

Tyr Arg Xaa Glu His Phe Arg Trp Cys
1 5

<210> 167
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> beta-cyclohexyl substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)

X-16438.ST25.txt

<223> AMIDATION

<400> 167

Xaa His Ala Arg Trp Cys
1 5

<210> 168

<211> 6

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa = penicillamine

<400> 168

Xaa His Phe Arg Trp Xaa
1 5

<210> 169

<211> 6

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MOD_RES

X-16438.ST25.txt

<222> (1)..(1)
 <223> ACETYLTATION

<220>
 <221> DISULFID
 <222> (1)..(6)

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = homocysteine

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> 4-chloro substituted, D form

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> AMIDATION

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = penicillamine

<400> 169

Xaa His Phe Arg Trp Xaa
 1 5

<210> 170
 <211> 6
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MOD_RES
 <222> (1)..(1)
 <223> N-hexanoyl substituted

<220>
 <221> DISULFID
 <222> (1)..(6)

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = homocysteine

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> D form

<220>
 <221> MOD_RES

X-16438.ST25.txt

<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 170

Xaa His Phe Arg Trp Xaa
1 5

<210> 171
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-cyclopentanecarbonyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 171

Xaa His Phe Arg Trp Xaa
1 5

<210> 172
<211> 6
<212> PRT
<213> Artificial

X-16438.ST25.txt

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-cyclohexanecarbonyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 172

Xaa His Phe Arg Trp Xaa
1 5

<210> 173
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-benzoyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 173

Xaa His Phe Arg Trp Xaa
1 5

<210> 174
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> 4-phenylbutyryl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 174

Xaa His Phe Arg Trp Xaa
1 5

X-16438.ST25.txt

<210> 175
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-phenylsulfonyl substituted

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 175

Xaa His Phe Arg Trp Xaa
1 5

<210> 176
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> (4-benzenesulfonamide)butyryl substituted

<220>
<221> DISULFID
<222> (1)..(6)

X-16438.ST25.txt

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = penicillamine

<400> 176

Xaa His Phe Arg Trp Xaa
1 5

<210> 177
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = norleucine

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

X-16438.ST25.txt

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = penicillamine
<400> 177

Xaa Xaa His Phe Arg Trp Xaa
1 5

<210> 178
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> N-phenylsulfonyl substituted

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = penicillamine

<400> 178

Gly Xaa His Phe Arg Trp Xaa
1 5

<210> 179
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

X-16438.ST25.txt

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = desamino Cys

<220>
 <221> DISULFID
 <222> (1)..(6)

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> D form

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> AMIDATION

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = homocysteine

<400> 179

Xaa His Phe Arg Trp Xaa
 1 5

<210> 180
 <211> 6
 <212> PRT
 <213> Artificial

<220>
 <223> synthetic construct

<220>
 <221> DISULFID
 <222> (1)..(6)

<220>
 <221> MOD_RES
 <222> (3)..(3)
 <223> D form

<220>
 <221> MOD_RES
 <222> (6)..(6)
 <223> AMIDATION

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa = homocysteine

<400> 180

Cys His Phe Arg Trp Xaa

1 5 X-16438.ST25.txt

<210> 181
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = homocysteine

<400> 181

Cys His Phe Arg Trp Xaa
1 5

<210> 182
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)

X-16438.ST25.txt

<223> Xaa = homocysteine

<400> 182

Cys His Phe Arg Trp Xaa
1 5

<210> 183

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (1)..(6)

<220>

<221> MOD_RES

<222> (3)..(3)

<223> D form

<220>

<221> MOD_RES

<222> (6)..(6)

<223> AMIDATION

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa = homocysteine

<400> 183

Cys His Phe Arg Trp Xaa
1 5

<210> 184

<211> 6

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

X-16438.ST25.txt

<222> (1)..(6)
<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = homocysteine

<400> 184

Cys His Phe Arg Trp Xaa
1 5

<210> 185
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MOD_RES
<222> (3)..(3)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = homocysteine

<400> 185

Cys His Phe Arg Trp Xaa
1 5

<210> 186

X-16438.ST25.txt

<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 186

Arg Cys His Phe Arg Trp Xaa
1 5

<210> 187
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 187

Arg Cys His Phe Arg Trp Xaa X-16438.ST25.txt
1 5

<210> 188
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 188

Arg Cys His Phe Arg Trp Xaa
1 5

<210> 189
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES

X-16438.ST25.txt

<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 189

Arg Cys His Phe Arg Trp Xaa
1 5

<210> 190
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-fluoro substituted, D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 190

Arg Cys His Phe Arg Trp Xaa
1 5

<210> 191
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>

X-16438.ST25.txt

<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MOD_RES
<222> (4)..(4)
<223> 4-chloro substituted, D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 191

Arg Cys His Phe Arg Trp Xaa
1 5

<210> 192
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa = homocysteine

<400> 192

X-16438.ST25.txt

Tyr Arg Cys Glu His Phe Arg Trp Xaa
1 5

<210> 193
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(6)

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = homocysteine

<400> 193

Xaa His Phe Arg Trp Xaa
1 5

<210> 194
<211> 7
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> DISULFID
<222> (2)..(7)

<220>

X-16438.ST25.txt

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

<400> 194

Arg Xaa His Phe Arg Trp Xaa
1 5

<210> 195
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (2)..(7)

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (4)..(4)
<223> D form

<220>
<221> MOD_RES
<222> (7)..(7)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = homocysteine

X-16438.ST25.txt

<400> 195

Arg Xaa His Phe Arg Trp Xaa
1 5

<210> 196

<211> 8

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> DISULFID

<222> (3)..(8)

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa = homocysteine

<220>

<221> MOD_RES

<222> (5)..(5)

<223> D form

<220>

<221> MOD_RES

<222> (8)..(8)

<223> AMIDATION

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa = homocysteine

<400> 196

Tyr Arg Xaa His Phe Arg Trp Xaa
1 5

<210> 197

<211> 9

<212> PRT

<213> Artificial

<220>

<223> Synthetic construct

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

X-16438.ST25.txt

<220>
<221> DISULFID
<222> (3)..(9)

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = homocysteine

<220>
<221> MOD_RES
<222> (6)..(6)
<223> D form

<220>
<221> MOD_RES
<222> (9)..(9)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa = homocysteine

<400> 197
Tyr Arg Xaa Glu His Phe Arg Trp Xaa
1 5

<210> 198
<211> 6
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> DISULFID
<222> (1)..(6)
<223> S-CH₂-S linkage

<220>
<221> MOD_RES
<222> (3)..(3)
<223> D form

<220>
<221> MOD_RES
<222> (6)..(6)
<223> AMIDATION

<400> 198
Cys His Phe Arg Trp Cys

1 5 X-16438.ST25.txt

<210> 199
<211> 9
<212> PRT
<213> Artificial

<220>
<223> synthetic construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = Arg, Tyr-Arg, Tyr-beta-Arg, or is absent

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = a modified amino acid including Arg, citrulline, homoarginine, Leu, Lys, N-isopropyl-Lys, norleucine, ornithine, or Val

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = a modified group including Tyr-Arg, Tyr-citrulline, Cya-Arg, Tyr-homoarginine, Tyr-1-beta-homoarginine, Tyr-Lys, Tyr-Ser, or Tyr-Val

<220>
<221> DISULFID
<222> (2)..(8)
<223> S-S or S-CH2-S disulfide bridge

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa = Cys, homocysteine, or desamino-cysteine; may be D or L form

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = Glu, Gln, Asp, Asn, Ala, Gly, Thr, Ser, Pro, Met, Ile, Val, Arg, His, Tyr, Trp, Phe, Lys, Leu, cysteic acid, or is absent

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa = His, modified His, or modified Ala; D or L form

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa = Phe, modified Phe, or modified Ala; D or L form

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa = Arg or modified Arg; D or L form

<220>

X-16438.ST25.txt

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa = Cys, homocysteine, or modified cysteine or homocysteine (such as amide, alcohol, or penicillamine)

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa = Ser-Pro-NH₂, Lys-Pro-NH₂, Ser-OH, Ser-Pro-OH, Lys-OH, Ser alcohol, Ser-Pro alcohol, Arg-Phe-NH₂, Glu-NH₂, or is absent

<400> 199

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Trp	Xaa	Xaa
1				5				

<210> 200

<211> 9

<212> PRT

<213> Artificial

<220>

<223> synthetic construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = Arg, Tyr-Arg, Tyr-beta-Arg, or is absent

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = a modified amino acid including Arg, citrulline, homoarginine, Leu, Lys, N-isopropyl-Lys, norleucine, ornithine, or Val

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa = a modified group including Tyr-Arg, Tyr-citrulline, Cya-Arg, Tyr-homoarginine, Tyr-l-beta-homoarginine, Tyr-Lys, Tyr-Ser, or Tyr-Val

<220>

<221> DISULFID

<222> (2)..(8)

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa = Cys or homocysteine

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa = Glu, Gln, Asp, Asn, Ala, Gly, Thr, Ser, Pro, Met, Ile, Val, Arg, His, Tyr, Trp, Phe, Lys, Leu, cysteic acid, or is absent

<220>

<221> MOD_RES

<222> (4)..(4)

X-16438.ST25.txt

<223> His may be optionally substituted

<220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> Phe may be optionally substituted

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = Cys, homocysteine, or modified cysteine or homocysteine
 such as amide

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa = Ser-Pro-NH₂, Lys-Pro-NH₂, Ser-OH, Ser-Pro-OH, Lys-OH, Ser
 alcohol, Ser-Pro alcohol, Arg-Phe-NH₂, Glu-NH₂, or is absent

<400> 200

Xaa Xaa Xaa His Phe Arg Trp Xaa Xaa
 1 5

<210> 201
 <211> 9
 <212> PRT
 <213> Artificial

<220>
 <223> Synthetic construct

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = Arg, Tyr-Arg, Tyr-beta-Arg, or is absent

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = a modified amino acid including Arg, citrulline,
 homoarginine, Leu, Lys, N-isopropyl-Lys, norleucine, ornithine,
 or Val

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa = a modified group including Tyr-Arg, Tyr-citrulline,
 Tyr-homoarginine, Tyr-1-beta-homoarginine, Tyr-Lys, Tyr-Ser, or
 Tyr-Val

<220>
 <221> DISULFID
 <222> (2)..(8)

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa = Cys or homocysteine

<220>

X-16438.ST25.txt

<221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa = Glu, Gln, Asp, Asn, Ala, Gly, Thr, Ser, Pro, Met, Ile, Val,
 Arg, His, Tyr, Trp, Phe, or is absent

 <220>
 <221> MOD_RES
 <222> (4)..(4)
 <223> His may be optionally substituted

 <220>
 <221> MOD_RES
 <222> (5)..(5)
 <223> Phe may be optionally substituted

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa = Cys, homocysteine, or modified cysteine or homocysteine
 such as amide

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa = Ser-Pro-NH₂, Lys-Pro-NH₂, Ser-OH, Ser-Pro-OH, Lys-Pro-OH,
 Arg-Phe-NH₂, Glu-NH₂, or is absent

 <400> 201
 Xaa Xaa Xaa His Phe Arg Trp Xaa Xaa
 1 5